

Medical Teaching Institution (MTI)

Bacha Khan Medical Complex (BKMC) Swabi

Contact No: 0938-280214

BID SOLICITATION DOCUMENTS For Storage Racks Heavy Duty

Note: The prospective bidder is expected to examine the Bidding Documents carefully, including all Instructions, Terms & Conditions, and Specifications etc. Failure to furnish all information required by the Bidding documents or submission of a Bid not substantially responsive to the Bidding Documents in every respect would result in the rejection of the Bid.

Manager Material Management MTI – BKMC / GKMC, SWABI	Manager Maintenance & Engineering MTI – BKMC / GKMC, SWABI
Director Finance MTI – BKMC / GKMC, SWABI	Director Nursing MTI – BKMC / GKMC, SWABI
Medical Director MTI – BKMC / GKMC, SWABI	Hospital Director MTI – BKMC / GKMC, SWABI

TABLE OF CONTENTS

1.	INTRODUCTION:	3
2.	ELIGIBILITY CRITERIA:	4
3.	GENERAL CONDITIONS: -	5
4.	INVITATION FOR BIDS	6
5.	BID SECURITY	7
6.	BID VALIDITY	7
7.	STORAGE RACKS HEAVY DUTY	8
8.	AWARD OF CONTRACT	. 10
9.	PAYMENT:	. 10

1. INTRODUCTION:

Medical Teaching Institution (MTI) Bacha Khan Medical Complex, Swabi invites sealed bids from the eligible bidders for procurement of **Storage Racks Heavy Duty** for Hospital under Open Competitive Bidding under rule 6(2) (a) "Single Stage Single Envelope" bidding procedures of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014.

INSTRUCTIONS TO BIDDERS:

- 1. This Bidding procedure will be conducted in light of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Laws, Rules made there under, along with Standard Bidding Documents.
- 2. The bids will be opened on _____at ____ AM in presence of the bidders/representatives who choose to attend.
- 3. Any bid received after the deadline for submission of bids shall not be entertained and shall be returned unopened to the Bidder.
- 4. The bid should be complete in all respect and must be signed by the bidder.
- 5. All prices quoted must be in Pak Rupees (PKR) and should include all applicable taxes and duties.
- 6. Bidders are essentially required to provide correct and latest postal/email/web addresses, phone/mobile/fax numbers for actively and timely communication.
- 7. For any query, clarification regarding Services / Bid Solicitation Documents, the applicants may send a written request at least one day prior to the opening date.
- 8. The Bidder may after its submission withdraw its bid prior to the expiry of the deadline prescribed for submission of bids. Withdrawn bids will be returned unopened to the Bidders.
- 9. Any bid not received as per terms and conditions laid down in this document are liable to be ignored.

No offer shall be considered if:

- a. Received without earnest money;
- b. It is received after the date and time fixed for its receipt;
- c. The offer is ambiguous;
- d. The offer is conditional i.e. advance payment, or currency fluctuations etc.;
- e. The offer is from blacklisted firm in any Federal / Provincial Govt. Deptt:
- f. Only typed tender on original prescribing letter pad, sealed & signed should be submitted, the quoted Price must be pre printed and hand written quoted price will not be acceptable. The tenders must be according to hospital specification; alternate rates (**Double rates for single Items**) will not be accepted.
- 10. Usage of correction fluid & corrections are strictly prohibited unless duly initialed.
- 11. Any erasing / cutting etc. appearing on the offer, must be properly signed by the person signing the tender.
- 12. Bids will be rejected if the Bid is in some way connected with bids submitted under names different from his own.
- 13. In case of Bid Tie, the decision will be taken by making toss/draw/Recall sealed quotation in front of

the bidders.

14. Any direct or indirect effort by a bidding firm to influence this institution during the process of selection of a bidder or award of contract may besides rejection of its bid result into its disqualification from participation in the BKMC Swabi's future bids.

2. ELIGIBILITY CRITERIA:

- Bidders must give compliance to the below mentioned clauses as these are mandatory to being eligible for the bidding process. Relevant certificates must be attached.
- The bidder must be registered with Income / Sales Tax Department, reflected as Active Tax Payer on the list of FBR.NTN and for services KNTN.
- The bidder shall provide an undertaking that the bidder has not been declared black listed by any Governmental/Semi-Governmental institutions.
- Bidders shall not be eligible to bid if they are under a declaration of Ineligibility for corrupt and fraudulent practices issued by any government organization in accordance with the Section 44(1) KPP Rules 2014.

3. GENERAL CONDITIONS: -

- 1. BKMC Swabi shall evaluate the bid in a manner prescribed in advance, without reference to the price and reject any proposal which does not conform to the specified requirements.
- 2. Alternative bid shall not be considered and shall be rejected by the Competent Authority.
- 3. At any time prior to the deadline for submission of bids, BKMC Swabi may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the bidding documents by amendment.
- 4. If a bid is not substantially responsive, it will be rejected by the Procuring Entity and may not subsequently be made responsive by the Bidder by correction of the nonconformity.
- 5. BKMC MTI Swabi may accept or reject any or all of the bids under Rule 47 of KPPRA Rules, 2014.

Bacha Khan Medical Complex Medical Teaching Institute Swabi

Phone: 0938-280214

4. INVITATION FOR BIDS

Hospital Director, Medical Teaching Institute, **Bacha Khan Medical Complex Swabi** invites sealed tenders under National Competitive Bidding for the procurement of **Storage Racks Heavy Duty** for Hospital, under rule 6(2)(a) "single stage Single envelope procedure" of KPPRA Rules 2014, from Income / Sales tax, reflected on Active Taxpayer List of FBR.

The bidders are required to submit bid security Rs-100,000/- in the name of Hospital Director BKMC Swabi.

The tenders complete in all respect must reach the undersigned by 10:30 hrs on ______, which will be opened at 11:00 hrs on the same day in conference room in the presence of the procurement committee and the bidders / representatives who may choose to attend.

Competent Authority reserves the right to reject any or all the bids as per provisions contained in Rule 47 of KPPRA Rules 2014.

5. BID Security

Bid security Rs-100,000/- in favor of "Hospital Director BKMC"

The bid security may be forfeited:

- i. If a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form; or
- ii. In the case of a successful Bidder, if the Bidder fails to sign the contract
- iii. If a successful Bidder unable to supply the items after issuance of 3 reminders, order will be placed to the next lowest bidder.

6. BID VALIDITY

- The bids should be valid for a period of 180 Days.
- In exceptional circumstances, BKMC Hospital may solicit the Bidder's consent to an extension of the period of validity reasons shell be recorded in writing. The request and the responses there to shall be made in writing. The bid security provided shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in the bidding document.
- Rates approved will be valid till 30-06-2022.

7. Storage Racks Heavy Duty

Technical Specifications for Heavy Duty Storage Racking System

<u>s#</u>	<u>Item Name</u>			Desc	ription	1
			• Height of the rack - 27	700mm		
			Horizontal beam lengt	h- 2300mm		
			• Depth of rack -900mm	1		
			Number of level-three		o level with	nanels)
			Capacity per level-200		o level with	puncisy
				_		
			Capacity per module-2			
A	Heavy Duty		Quantity of Main mod			
	Racks		Quantity of Additional	l. Module-1 no's		
		UPRI	GHT FRAME (VERTICAL	.) A. UPRIGHT	CHANNI	EL.
		A.	UPRIGHT CHANNEL	,,	:	Length-2700mm
						Section- 1.6mm thickness (9/10 Bend Sec)
				Quantity	a.	Main Module- $1x2x2 = 4$ No's
					b.	Addl.Module- $1x1x2 = 2$ No's
		B.	BASE PLATE		:	Section-3.15mm thickness
				Quantity	a.	Main Module~ 4 No's
					b.	Addl.Module-2 No's
		C.	ANCHOR BOLT		:	Length-100mm
						Section-M12xl00
				Quantity	a. 1-	Main Module-2x4 = 8 No's
		D			b.	Addl.Module- $2x2 = 4$ No's
		D.	HORIZONTAL BRACING	j	: Len	gth –According to 900mm depth
						Section: 30x30x1.6mm 'C'
		E	D			Quantity 2 No's. per frame
		E.	DIAGONAL BRACING		: Leng	th-According to 900 mm depth Section- 30x30x1.6mm 'C'.
						Quantity 4 No's. per upright frame
		HORI	ZONTAL BEAM			
		F.	BEAM CHANNEL		:	Length-2300 mm

Quantity No's B. Addl.Module-1x4 = 4 No's G. LOCKING PIN H. PALLET Two-way open metal pallet with epoxy powder coated I. DECK SHEET IN STEEL. Length-According to 900 mm depth Section- Epoxy powder coated 6 bend panel. It should cover entire length 2300mmx900mm without spacing Quantity Addl.Module-1x2 = 2 No's Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
No's B. Addl.Module~1 x4 = 4 No's
b. Addl.Module~1 x4 = 4 No's G. LOCKING PIN : Quantity-2 No's per beam H. PALLET : Size: 1000mm x 1100mm Two-way open metal pallet with epoxy powder coated Quantity 2 Pallet per rack I. DECK SHEET IN STEEL. : Length-According to 900 mm depth Section- Epoxy powder coated 6 bend panel. It should cover entire length 2300mmx900mm without spacing Quantity a. Main Module-1x2 = 2 No's Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
G. LOCKING PIN : Quantity-2 No's per beam H. PALLET : Size: 1000mm x 1100mm Two-way open metal pallet with epoxy powder coated Quantity 2 Pallet per rack I. DECK SHEET IN STEEL. : Length-According to 900 mm depth Section- Epoxy powder coated 6 bend panel. It should cover entire length 2300mmx900mm without spacing Quantity a. Main Module-1x2 = 2 No's b. Addl.Module-1x2 = 2 No's Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
H. PALLET: Size: 1000mm x 1100mm Two-way open metal pallet with epoxy powder coated Quantity 2 Pallet per rack I. DECK SHEET IN STEEL.: Length-According to 900 mm depth Section- Epoxy powder coated 6 bend panel. It should cover entire length 2300mmx900mm without spacing Quantity a. Main Module-1x2 = 2 No's b. Addl.Module-1x2 = 2 No's Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
Two-way open metal pallet with epoxy powder coated I. DECK SHEET IN STEEL. : Length-According to 900 mm depth Section- Epoxy powder coated 6 bend panel. It should cover entire length 2300mmx900mm without spacing Quantity a. Main Module-1x2 = 2 No's b. Addl.Module-1x2 = 2 No's Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
powder coated Quantity 2 Pallet per rack I. DECK SHEET IN STEEL. : Length-According to 900 mm depth Section- Epoxy powder coated 6 bend panel. It should cover entire length 2300mmx900mm without spacing Quantity a. Main Module-1x2 = 2 No's b. Addl.Module-1x2 = 2 No's Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
Section- Epoxy powder coated 6 bend panel. It should cover entire length 2300mmx900mm without spacing Quantity a. Main Module-1x2 = 2 No's b. Addl.Module-1x2 = 2 No's Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
panel. It should cover entire length 2300mmx900mm without spacing Quantity a. Main Module-1x2 = 2 No's b. Addl.Module-1x2 = 2 No's Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
Quantity a. Main Module-1x2 = 2 No's b. Addl.Module-1x2 = 2 No's Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
Quantity a. Main Module-1x2 = 2 No's b. Addl.Module-1x2 = 2 No's Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
b. Addl.Module-1x2 = 2 No's Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
Material: Material should be of high-grade steel IS 5986 for Upright and IS 513D or equivalent for Decking Panel. All the components shall be thoroughly pre-treated in 8 stage pretreatment process and all the components shall be painted with epoxy powder coating and film thickness of minimum 50 microns.
be painted with epoxy powder coating and film thickness of minimum 50 microns.
Color: Orange color for beam and base plate rest all components should be in blue color.
(WITH INSTALLATION)
Racks with 2 drawers, 18" open space below the drawers for storage, 4 tilted adjustable shelves with acrylic boarder & Divider and storage space at the top.
B Rack Type A Dimension: width 30" (2.5Ft) x Height: 84" (7ft) x Depth 24" (2ft for drawers).
Depth 18 "(1.5ft for shelves) (All metal structure to be finished in high quality powder coating)
(with Installation)
(Angles 14 SWG) Back 24 SWG
(Shelves 20 SWG) Arms 14SWG
Adjustable Height =7 feet, Length=3 feet, Shelf's = 1.5 feet
C Angled Racks (H=7x L=3x D=1.5)
No. Of Shelves= 5
(All metal structure to be finished in high quality powder coating)
(with Installation)

Note: Samples may be called for above item if required.

8. Award of Contract

• Contracts shall be confirmed through a written agreement signed by the successful bidder and the MTI/BKMC Swabi.

9. Payment:

- a. No advance payment will be permissible.
- b. All applicable taxes / duties will be deducted source as permissible.
- c. The payment will be made after successful supply and inspection